Environmental Engineering and Management Journal

March 2019, Vol.18, No. 3, 765-774 http://www.eemj.icpm.tuiasi.ro/; http://www.eemj.eu



"Gheorghe Asachi" Technical University of lasi, Romania



## HYDROGEOCHEMISTRY AND ENVIRONMENTAL ISOTOPE COMPOSITIONS AND THEIR EVOLUTION IN GEOTHERMAL GROUNDWATER IN YIZHANG, HUNAN PROVINCE, CHINA

## Junjie Ba<sup>1</sup>, Chuntian Su<sup>1\*</sup>, Qiuju Chen<sup>2</sup>, Xiaodong Pan<sup>1</sup>

<sup>1</sup>Institute of Karst Geology, CAGS/Key Laboratory of Karst Dynamics, MNR&GZAR, Guilin 541004, China <sup>2</sup>School of Environmental Studies, China University of Geosciences (Wuhan), Wuhan 430074, China

## Abstract

Yizhang, located in south of Hunan province of China is rich in geothermal resources. This paper aimed to study the concentrations of cations, e.g.,  $K^+$ ,  $Ca^{2+}$ ,  $Na^+$ ,  $Mg^{2+}$  and conducted the analysis of the environmental isotope characteristics of  $\delta D$ ,  $\delta^{18}O$  and  $^{13}C$ . Further there are explained the rules of the generation and evolution of geothermal groundwater in Yizhang. The temperature of geothermal groundwater in Yizhang was between 34.2 and 45.4 °C, with a neutral pH and a high electrical conductivity. The hydrogeochemical characteristics changed in the order HCO<sub>3</sub>-Ca, HCO<sub>3</sub>-Ca, HCO<sub>3</sub>-SO<sub>4</sub>-Ca, SO<sub>4</sub>-Ca-Mg corresponding to surface water–underground cold water–Yongkou hot springs–Yiliu hot springs in Yizhang area. Compared with that in Yongkou area, the water-rock interaction of groundwater lasted for a longer time in a more enclosed environment in Yiliu area. The  $\delta D$ - $\delta^{18}O$  isotope analysis showed that the geothermal groundwater was generated from atmospheric rainfall and the recharge height of geothermal field was between 695~1040m. The <sup>13</sup>C isotope analysis demonstrated that the CO<sub>2</sub> generated during water-rock interactions was induced by factors of biogenetic, atmosphere, mantle and carbonate rocks degeneration. The result of this study was that the geothermal groundwater in Yongkou and Yiliu was formed from the same thermal resource in the same environment. Our research contributed to the determination of the border of geothermal groundwater fields, the modelling of the geological thermal reservoir structure, and the environmental evaluation of the groundwater in Yizhang.

Keywords: hot springs, environmental isotope, hydrogeochemistry, Yizhang, China

Received: August, 2018; Revised final: November, 2018; Accepted: December, 2018; Published in final edited form: March, 2019

<sup>\*</sup>Author to whom all correspondence should be addressed: e-mail: suchuntian@karst.ac.cn